

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|---------|---|-----------------|------------------|---------|------------------|
| S1 | 2027303 | (wind or winding or wound or rotat\$3) | US-PGPUB; USPAT | OR | ON | 2007/12/31 18:17 |
| S2 | 1 | "20070059590" | US-PGPUB; USPAT | OR | ON | 2007/12/31 18:18 |
| S3 | 2389 | 429/94,211.ccls. or 29/623.5.ccls. | US-PGPUB; USPAT | OR | ON | 2008/01/02 08:58 |
| S4 | 1212 | S1 and S3 | US-PGPUB; USPAT | OR | ON | 2007/12/31 18:19 |
| S5 | 739 | 429/94.ccls. and (tab or lead or terminal or pole or rod) | US-PGPUB; USPAT | OR | ON | 2008/01/02 08:58 |
| S6 | 484 | S5 and ((active or reactive or catalyst or metal) near4 (collector or plate or separator)) | US-PGPUB; USPAT | OR | ON | 2008/01/01 15:41 |
| S7 | 0 | ("2003/0180605").URPN. | USPAT | OR | ON | 2007/12/31 19:09 |
| S8 | 1 | "2001155779".pn. | JPO | OR | ON | 2007/12/31 19:10 |
| S9 | 1 | "5989743".pn. | US-PGPUB; USPAT | OR | ON | 2007/12/31 19:12 |
| S10 | 739 | 429/94.ccls. and (tab or lead or terminal or pole or rod) | US-PGPUB; USPAT | OR | ON | 2008/01/01 15:41 |
| S11 | 484 | S10 and ((active or reactive or catalyst or metal) near4 (collector or plate or separator)) | US-PGPUB; USPAT | OR | ON | 2008/01/01 15:41 |
| S12 | 484 | S11 | US-PGPUB; USPAT | OR | ON | 2008/01/01 15:41 |
| S13 | 72 | S12 and ((separator or film or layer) with ((bind\$3 or rubber\$1 or \$5acrylonitrile) and (filler or oxide or alumina or titania or silica or zirconia))) | US-PGPUB; USPAT | OR | ON | 2008/01/01 15:52 |
| S14 | 61 | S12 and ((separat\$3 or film or layer) with ((bind\$3 or rubber\$1 or \$5acrylonitrile) and (filler or oxide or alumina or titania or silica or zirconia))) and ((separat\$3 or film or layer) with (porous or porosity or pore or void)) | US-PGPUB; USPAT | OR | ON | 2008/01/02 07:32 |
| S15 | 3 | S12 and ((separat\$3 or film or layer) with (((\$5acrylonitrile) and (alumina or titania or silica or zirconia))) and ((separat\$3 or film or layer) with (porous or porosity or pore or void))) | US-PGPUB; USPAT | OR | ON | 2008/01/01 16:24 |
| S16 | 1 | "20060154139" | DERWENT | OR | ON | 2008/01/01 16:20 |
| S17 | 1 | 2006-527853.NRAN. | DERWENT | OR | ON | 2008/01/01 16:20 |

EAST Search History

| | | | | | | |
|-----|-------|---|------------------------------------|----|----|------------------|
| S18 | 1 | 2006-527853.NRAN. | DERWENT | OR | ON | 2008/01/01 16:21 |
| S19 | 2 | S12 and ((separat\$3 or film or layer) with ((#\$5acrylonitrile) with (alumina or titania or silica or zirconia))) and ((separat\$3 or film or layer) with (porous or porosity or pore or void)) | US-PGPUB; USPAT | OR | ON | 2008/01/01 16:24 |
| S20 | 3 | S10 and ((separat\$3 or film or layer) with ((#\$5acrylonitrile) with (alumina or titania or silica or zirconia))) and ((separat\$3 or film or layer) with (porous or porosity or pore or void)) | US-PGPUB; USPAT | OR | ON | 2008/01/02 07:20 |
| S21 | 56 | (wind or winding or wound or rotat\$3) and ((separat\$3 or film or layer) with ((#\$5acrylonitrile) with (alumina or titania or silica or zirconia))) and ((separat\$3 or film or layer) with (porous or porosity or pore or void)) | US-PGPUB; USPAT | OR | ON | 2008/01/02 07:33 |
| S22 | 16997 | ((separat\$3 or film or layer) with ((bind\$3 or rubber\$1 or \$5acrylonitrile) and (filler or oxide or alumina or titania or silica or zirconia))) and ((separat\$3 or film or layer) with (porous or porosity or pore or void)) | US-PGPUB; USPAT | OR | ON | 2008/01/02 07:55 |
| S23 | 36 | (wind or winding or wound) and ((separat\$3 or film or layer) with ((#\$5acrylonitrile) with (alumina or titania or silica or zirconia))) and ((separat\$3 or film or layer) with (porous or porosity or pore or void)) | US-PGPUB; USPAT | OR | ON | 2008/01/02 08:15 |
| S24 | 36 | S22 and S23 | US-PGPUB; USPAT | OR | ON | 2008/01/02 07:41 |
| S25 | 2 | "20060281007" | US-PGPUB; USPAT; DERWENT | OR | ON | 2008/01/02 07:43 |
| S26 | 1 | 2006-020696.NRAN. | DERWENT | OR | ON | 2008/01/02 07:41 |
| S27 | 44729 | tsutsumi-S\$.in. or watanabe-K\$.in. or takeno-m\$.in. or shimada-m\$.in. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2008/01/02 07:43 |
| S28 | 267 | S27 and ((separat\$3 or film or layer) with ((bind\$3 or rubber\$1 or \$5acrylonitrile) and (filler or oxide or alumina or titania or silica or zirconia))) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2008/01/02 07:44 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S29 | 83 | S28 and ((separat\$3 or film or layer) with (porous or porosity or pore or void)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2008/01/02 07:45 |
| S30 | 30 | S29 and (wind or winding or wound) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2008/01/02 07:45 |
| S31 | 1 | 2005-669512.NRAN. | DERWENT | OR | ON | 2008/01/02 07:54 |
| S32 | 5875 | ((separat\$3 or film or layer) with ((bind\$3 or rubber\$1 or \$5acrylonitrile) with (filler or oxide or alumina or titania or silica or zirconia))) and ((separat\$3 or film or layer) with (porous or porosity or pore or void)) | US-PGPUB; USPAT | OR | ON | 2008/01/02 08:16 |
| S33 | 36 | S32 and (wind or winding or wound) and ((separat\$3 or film or layer) with ((5acrylonitrile) with (alumina or titania or silica or zirconia))) and ((separat\$3 or film or layer) with (porous or porosity or pore or void)) | US-PGPUB; USPAT | OR | ON | 2008/01/02 07:56 |
| S34 | 1551 | S32 and (wind or winding or wound) | US-PGPUB; USPAT | OR | ON | 2008/01/02 07:56 |
| S35 | 36 | (wind or winding or wound) and ((separat\$3 or film or layer) with ((5acrylonitrile) with (alumina or titania or silica or zirconia))) and ((separat\$3 or film or layer) with (porous or porosity or pore or void)) | US-PGPUB; USPAT | OR | ON | 2008/01/02 07:56 |
| S36 | 1 | ("6022642").URPN. | USPAT | OR | ON | 2008/01/02 08:11 |
| S37 | 5 | ("5001023" "5162178" "5554460" "5558957").PN. OR ("6022642").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/01/02 08:12 |
| S38 | 295 | tsukamoto-H\$.in. | US-PGPUB; USPAT | OR | ON | 2008/01/02 08:16 |
| S39 | 1 | S38 and ((separat\$3 or film or layer) with ((bind\$3 or rubber\$1 or \$5acrylonitrile) with (filler or oxide or alumina or titania or silica or zirconia))) and ((separat\$3 or film or layer) with (porous or porosity or pore or void)) | US-PGPUB; USPAT | OR | ON | 2008/01/02 10:08 |
| S40 | 2128 | tsukamoto-H\$.in. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2008/01/02 08:16 |

EAST Search History

| | | | | | | |
|-----|--------|--|------------------------------------|----|----|------------------|
| S41 | 2 | S40 and ((separat\$3 or film or layer) with ((bind\$3 or rubber\$1 or \$5acrylonitrile) with (filler or oxide or alumina or titania or silica or zirconia))) and ((separat\$3 or film or layer) with (porous or porosity or pore or void)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2008/01/02 08:17 |
| S42 | 72020 | ((wind or winding or wound) near4 (core or tube)) | US-PGPUB; USPAT | OR | ON | 2008/01/02 09:03 |
| S43 | 2390 | 429/94,211.ccls. or 29/623.5.ccls. | US-PGPUB; USPAT | OR | ON | 2008/01/02 09:40 |
| S44 | 190 | S42 and S43 | US-PGPUB; USPAT | OR | ON | 2008/01/02 08:58 |
| S45 | 37 | S44 and ((core or tube) with (recess\$3 or dent\$3 or indent\$3 or notch\$3 or lip or edge)) | US-PGPUB; USPAT | OR | ON | 2008/01/02 09:05 |
| S46 | 144513 | ((wind or winding or wound) with (core or tube or member)) | US-PGPUB; USPAT | OR | ON | 2008/01/02 09:03 |
| S47 | 41907 | S46 and ((core or tube or member) with (recess\$3 or dent\$3 or indent\$3 or notch\$3 or lip or edge)) | US-PGPUB; USPAT | OR | ON | 2008/01/02 09:37 |
| S48 | 29252 | S46 and ((core or tube or member) near5 (recess\$3 or dent\$3 or indent\$3 or notch\$3 or lip or edge)) | US-PGPUB; USPAT | OR | ON | 2008/01/02 09:06 |
| S49 | 69 | S43 and S48 | US-PGPUB; USPAT | OR | ON | 2008/01/02 09:35 |
| S50 | 48 | S49 not S45 | US-PGPUB; USPAT | OR | ON | 2008/01/02 09:07 |
| S51 | 103 | S43 and S47 | US-PGPUB; USPAT | OR | ON | 2008/01/02 09:35 |
| S52 | 18 | S51 not (S50 or S45) | US-PGPUB; USPAT | OR | ON | 2008/01/02 09:35 |
| S53 | 40981 | (wind or winding or wound) and ((core or tube or member) near4 (groove notch dent recess indentation furrow depression score valley)) | US-PGPUB; USPAT | OR | ON | 2008/01/02 09:41 |
| S54 | 1099 | S53 and 429/94,211.ccls. or 29/623.5.ccls. | US-PGPUB; USPAT | OR | ON | 2008/01/02 09:41 |
| S55 | 32665 | (wind or winding or wound) and ((core or tube or member) near3 (groove notch dent recess indentation furrow depression score valley)) | US-PGPUB; USPAT | OR | ON | 2008/01/02 09:42 |

EAST Search History

| | | | | | | |
|-----|-------|--|------------------------------------|----|----|------------------|
| S56 | 1097 | S55 and 429/94,211.ccls. or 29/623.5.ccls. | US-PGPUB; USPAT | OR | ON | 2008/01/02 09:42 |
| S57 | 1097 | (wind or winding or wound) and ((core or tube or member) near3 (groove notch dent recess indentation furrow depression score valley)) and 429/94,211. ccls. or 29/623.5.ccls. | US-PGPUB; USPAT | OR | ON | 2008/01/02 09:49 |
| S58 | 4403 | (wind or winding or wound) and ((core or tube or member) near3 (groove notch dent recess indentation furrow depression score valley)) | EPO; JPO; DERWENT | OR | ON | 2008/01/02 09:49 |
| S59 | 41 | S58 and battery | EPO; JPO; DERWENT | OR | ON | 2008/01/02 10:02 |
| S60 | 29 | S58 and ((electrochemical adj cell) or H01M\$8) | EPO; JPO; DERWENT | OR | ON | 2008/01/02 10:04 |
| S61 | 5 | S60 not S59 | EPO; JPO; DERWENT | OR | ON | 2008/01/02 10:05 |
| S62 | 1 | "2005339915" | DERWENT | OR | ON | 2008/01/02 10:05 |
| S63 | 1 | 2005-806036.NRAN. | DERWENT | OR | ON | 2008/01/02 10:05 |
| S64 | 1 | "2006302799" | DERWENT | OR | ON | 2008/01/02 10:05 |
| S65 | 1 | 2006-806814.NRAN. | DERWENT | OR | ON | 2008/01/02 10:06 |
| S66 | 1 | 2006-806814.NRAN. | DERWENT | OR | ON | 2008/01/02 10:06 |
| S67 | 1067 | ((separat\$3 or film or layer) with ((bind\$3 or rubber\$1 or \$5acrylonitrile) with (filler or oxide or alumina or titania or silica or zirconia))) and ((separat\$3 or film or layer) with (porous or porosity or pore or void)) | EPO; JPO; DERWENT | OR | ON | 2008/01/02 10:08 |
| S68 | 165 | S67 and (H01M\$8 or battery) | EPO; JPO; DERWENT | OR | ON | 2008/01/02 10:14 |
| S69 | 18 | S68 and (wind or winding or wound) | EPO; JPO; DERWENT | OR | ON | 2008/01/02 10:14 |
| S70 | 21647 | hayashi-T\$.in. or ohata-T\$.in. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2008/01/02 11:22 |
| S71 | 2948 | S70 and (wind or winding or wound or rotat\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2008/01/02 11:29 |

EAST Search History

| | | | | | | |
|-----|---------|--|------------------------------------|----|----|------------------|
| S72 | 1399 | S71 and (core or member or tube or rod or pole or pipe) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2008/01/02 11:32 |
| S73 | 51 | S72 and ((binder or filler or additive or supplement) with (separator or film or layer)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2008/01/02 11:30 |
| S74 | 43 | S73 and (anode or cathode or electrode or positive or negative) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2008/01/02 11:30 |
| S75 | 4114906 | (recess\$3 or dent\$3 or indent\$3 or notch\$3 or lip or edge) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2008/01/02 11:32 |
| S76 | 21 | S74 and (recess\$3 or dent\$3 or indent\$3 or notch\$3 or lip or edge) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2008/01/02 11:36 |
| S77 | 3 | S74 and ((core or member or tube or rod or pole or pipe) with (recess\$3 or dent\$3 or indent\$3 or notch\$3 or lip or edge)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2008/01/02 11:32 |
| S78 | 18 | S76 not S77 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2008/01/02 11:36 |
| S79 | 1 | "20050095505" | US-PGPUB; USPAT | OR | ON | 2008/01/02 13:21 |
| S80 | 556 | lithium near2 battery with zinc | US-PGPUB; USPAT | OR | ON | 2008/01/02 13:32 |
| S81 | 240 | ((binder with filler) with (separator or film or layer) same (electrode or cathode or anode)) | US-PGPUB; USPAT | OR | ON | 2008/01/03 16:42 |
| S82 | 71 | ((binder with filler) with (separator or film or layer) same ((electrode or cathode or anode)) same (porous or microporous or porosity or pore or void)) | US-PGPUB; USPAT | OR | ON | 2008/01/03 16:42 |
| S83 | 55 | ((binder with filler) with (separator or film or layer) with (porous or microporous or porosity or pore or void) same (electrode or cathode or anode)) | US-PGPUB; USPAT | OR | ON | 2008/01/03 16:43 |
| S85 | 51 | S83 and battery | US-PGPUB; USPAT | OR | ON | 2008/01/03 16:50 |

EAST Search History

| | | | | | | |
|-----|----|------------------------------------|--------------------|----|----|------------------|
| S86 | 41 | S84 and (wound or wind or winding) | US-PGPUB; USPAT | OR | ON | 2008/01/03 16:45 |
| S87 | 10 | S85 not S86 | US-PGPUB; USPAT | OR | ON | 2008/01/03 16:50 |
| S88 | 0 | 09-035738 | JPO | OR | ON | 2008/01/03 20:22 |
| S89 | 1 | "09035738" | JPO | OR | ON | 2008/01/03 20:22 |